Acknowledged globally





CO2-LOCATOR

Item Number 4687990

The CO2 leak detector has a newly developed sensor which is extremely sensitive to R744 refrigerant. The device is characterized by fast response, high reliability and durability. It is an ideal device for the inspection and maintenance of industrial and commercial refrigeration and air conditioning equipment as well as heat pumps and automotive air conditioning systems.

- Newly developed gas sensor with fast response time
- Multi-color, visual display with peak function
- High-Medium-Low Leak Sensitivity Setting
- Automatic zero and background compensation

Technical Data

Material	ABS LDPE TPE FR-4		
Colour	yellow green grey black		
Standards	EN 55011:2009 + A1:2010 Group 1, EN 61326-1: 2013, CISPR 11: 2009+A1 :2010, EN 61000-3-2: 2014, EN 61000-3-3: 2013, IEC 61000-4-2:2008, IEC 61000-4-3:2006+A1:2007+A2:2010, IEC 61000-4-5:2014, IEC 61000-4-6:2013, IEC 61000-4-8:2009, IEC 61000-4-11:2004		
RoHS Conformity	1		
RoHS Conformity	Yes		
Refrigerant(s)	R744		
Operating Temperature Range	0 - 40 °C		

6285 Hitzkirch

Acknowledged globally



Storage Temperature Range	-10 - 60 °C
Humidity Range	< 80 %
Storage Humidity Range	< 80 %
Ingression Protection	IP40
Battery	Recharchable battery
Operating Hours	12 h
Functions	3-level sensitivity, Ambient concentration reset, Peak function, Mute function, Low battery indication, Auto power off, Powered through accu or AC adapter
Sensitivity	High 6g/a, medium 15g/a, low 30g/a
Refrigerant Type	CO2
Measurement Technology	optical

Measurement Technology optical	
Sensor Lifetime approx. 10 years	
Tube Length 40 cm	
Scope of Supply Case Instruction manual Spare Filter AC adapter Ak	kku
Packaging Sturdy plastic case	
Warm-up Time 45 s	

Accessories

4682641	M2-3-DELUXE-DS- R744	2-way manifold for R744 (CO2) with oil filled R3 gauges, Class 1.0, pressure scale: bar / psi, with 3 charging hoses 1/4" SAE, 36"/90 cm, in sturdy plastic case
4687894	M2-3-DELUXE-DS- R744-TC	2-way manifold, with oilfilled gauges Class 1.0, pressure scale: bar / psi, with 3 charging hoses 1/4" SAE, 72"/180 cm, in sturdy plastic case

Spare Parts

Acknowledged globally



4688016

CO2-LOCATOR-FILTER/2 Spare filter for CO2-LOCATOR, 2 pcs.